

Waits for the specified long-running operation until it is done or reaches at most a specified timeout, returning the latest state. If the operation is already done, the latest state is immediately returned. If the timeout specified is greater than the default HTTP/RPC timeout, the HTTP/RPC timeout is used. If the server does not support this method, it returns `google.rpc.Code.UNIMPLEMENTED`. Note that this method is on a best-effort basis. It may return the latest state before the specified timeout (including immediately), meaning even an immediate response is no guarantee that the operation is done.

POST `https://automl.googleapis.com/v1/{name}:wait`

Parameters

name	string
	The name of the operation resource to wait on.

The request body contains data with the following structure:

JSON representation

Fields

Fields

timeout

string ([Duration](https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.Duration)
(<https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.Duration>)
format)

The maximum duration to wait before timing out. If left blank, the wait will be at most the time permitted by the underlying HTTP/RPC protocol. If RPC context deadline is also specified, the shorter one will be used.

A duration in seconds with up to nine fractional digits, terminated by 's'.
Example: "3.5s".

If successful, the response body contains an instance of [Operation](#)
(</automl/docs/reference/rest/Shared.Types/ListOperationsResponse#Operation>).

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](#)
(<https://cloud.google.com/docs/authentication/>).