

# Using Databases

**Feature Availability:** This feature is available in Cloud Dataprep Premium by TRIFACTA® INC.

This section describes how you interact with your databases through Cloud Dataprep by TRIFACTA® INC..

- Specific versions of each database are supported.
- Connections must be enabled and configured for each type of supported database.
- See [Connection Types](/dataprep/docs/html/Connection-Types_158401063) (/dataprep/docs/html/Connection-Types\_158401063).

## Before You Begin

- **Read Access:** Your database administrator must configure read permissions to the appropriate databases, tables and views for your use.
- **Write Access:** Some relational connection types support write access. For more information, see [Connection Types](/dataprep/docs/html/Connection-Types_158401063) (/dataprep/docs/html/Connection-Types\_158401063).

## Access

Database access is managed through connections.

- Individual users can create private connections through the application. See [Create Connection Window](/dataprep/docs/html/Create-Connection-Window_158401232) (/dataprep/docs/html/Create-Connection-Window\_158401232).

## Storing Data in Relational Databases

**NOTE:** Cloud Dataprep by TRIFACTA INC. does not modify source data nor store transformed data in the relational systems. Datasets sourced from database tables or views are read without modification from their source locations.

## Reading from Database Tables and Views

You can create a Cloud Dataprep dataset from a table or view stored in a connected database.

## Additional Notes on Database Views

- Some metadata, such as row counts, is not available for database views.
- For complex view definitions that require significant processing on the database, there may be a significant delay when previewing the contents of those views. In some cases, the preview may time out waiting for the database to respond with the view contents.

For more information, see [Database Browser](/dataprep/docs/html/Database-Browser_158401235) (/dataprep/docs/html/Database-Browser\_158401235).

## Running Jobs from Database Sources

**NOTE:** When executing a job using a relational source, the job may fail if one or more columns has been dropped from the underlying source table. As a workaround, the recipe panel may show steps referencing the missing columns, which be used to fix to either fix the recipe or the source data.

## Writing to Databases

Relational connections can be configured to support writing results back to the database.

**NOTE:** You can only write to databases from the Run Job page. You cannot ad-hoc publish to a relational database.

**NOTE:** When writing to a new table in a relational target, the first entry in any mapping is used for writing out the value. Subsequent entries in the mapping are used for validation only on writing to new tables. See [Connection Types](/dataprep/docs/html/Connection-Types_158401063) (/dataprep/docs/html/Connection-Types\_158401063).

Natively supported connection types are automatically enabled for writeback.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (https://www.apache.org/licenses/LICENSE-2.0). For details, see the [Google Developers Site Policies](https://developers.google.com/site-policies) (https://developers.google.com/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated 2020-07-13 UTC.