oduct or feature is in a pre-release state and might change or have limited support. For more information, see the pr
stages (/products/#product-launch-stages).

This page explains how to create, edit, view, and delete Health Level Seven Version 2.x (HL7v2) (http://www.hl7.org/implement/standards/product_brief.cfm?product_id=185) stores.

Before you can create an HL7v2 store, you need to create a dataset (/healthcare/docs/how-tos/datasets) .

The following samples show how to create an HL7v2 store.

The following samples show how to make the following changes to an HL7v2 store:

- Edit the Pub/Sub (/pubsub) topic to which the Cloud Healthcare API sends notifications of HL7v2 store changes.
- Edit the labels. Labels (/healthcare/docs/how-tos/labeling-resources) are key-value pairs that help you organize your Google Cloud resources.

When specifying a Pub/Sub topic, enter the qualified URI to the topic, as shown in the following sample:

For notifications to work, you must grant additional permissions to the **Cloud Healthcare Service Agent** service account (/iam/docs/service-accounts). For more information, see DICOM, FHIR, and HL7v2 store Pub/Sub permissions (/healthcare/docs/how-tos/controlling-access-other-products#dicom_fhir_and_hl7v2_store_cloud_pubsub_permissions).

The following samples show how to get details about an HL7v2 store.

The following samples show how to list the HL7v2 stores in a dataset.

ɔn: Deleting an HL7v2 store also deletes the data in the HL7v2 store. If deleted, this data cannot be recovered.

The following samples show how to delete an HL7v2 store.

- Read the conceptual documentation on how HL7v2 is implemented in the Cloud Healthcare API (/healthcare/docs/concepts/hl7v2).
- Learn how to create and manage HL7v2 messages (/healthcare/docs/how-tos/hl7v2-messages).