This page shows how to install the Google Cloud SDK, initialize it, and run core `gcloud` commands from the command-line.

Note: If you are behind a proxy/firewall, see the underline proxy settings (/sdk/docs/proxy-settings) page for more information on installation.

Make sure that your operating system is one of the following:

- Ubuntu release that has not reached end-of-life (https://wiki.ubuntu.com/Releases)

- Debian stable release (https://wiki.debian.org/DebianReleases) from Wheezy forward

Create a Google Cloud Platform project (https://console.cloud.google.com/cloud-resource-manager), if you don't have one already.

Then, perform the following steps:

Docker tip: If installing the Cloud SDK inside a Docker image, use a single RUN step instead:

If you are unable to get latest updates due to an expired key, obtain the latest apt-get.gpg key file (/compute/docs/troubleshooting/known-issues#keyexpired).

If your distribution's apt-key command does not support the –keyring argument run these commands instead:

Use the `gcloud init` (/sdk/gcloud/reference/init) command to perform several common SDK setup tasks. These include authorizing the SDK tools to access Google Cloud Platform using your user account credentials and setting up the default SDK configuration.

To initialize the SDK:

1. Run the following at a command prompt:

   Note: If you get an error related to the gcloud command not being found, refer to step 5 in the section above.

   Note: To prevent the command from launching a web browser, use `gcloud init --console-only` instead. To authorize without a web browser and non-interactively, create a service account with the appropriate scopes using the Google Cloud Platform Console

(https://console.cloud.google.com) and use `gcloud auth activate-service-account` with the corresponding JSON key file.

2. Accept the option to log in using your Google user account:

3. In your browser, log in to your Google user account when prompted and click **Allow** to grant permission to access Google Cloud Platform resources.

4. At the command prompt, select a Cloud Platform project from the list of those where you have **Owner**, **Editor** or **Viewer** permissions:

   If you only have one project, `gcloud init` selects it for you.

5. If you have the Google Compute Engine API enabled, `gcloud init` allows you to choose a default Compute Engine zone:

   `gcloud init` confirms that you have complete the setup steps successfully:

6. (Optional) If you'd like a more streamlined screen reader experience, the gcloud command-line tool comes with an `accessibility/screen_reader` property.

To enable this property, run:

For more details about the accessibility features that come with the gcloud command-line tool, refer to the Enabling accessibility features (/sdk/docs/enabling-accessibility-features) guide.

Run these `gcloud` commands to view information about your SDK installation:

1. To list accounts whose credentials are stored on the local system:

`gcloud` displays a list of credentialed accounts:

2. To list the properties in your active SDK configuration:

`gcloud` displays the list of properties:

3. To view information about your Cloud SDK installation and the active SDK configuration:

`gcloud` displays a summary of information about your Cloud SDK installation. This
includes information about your system, the installed SDK components, the active user
account and current project, and the properties in the active SDK configuration.

4. To view information about `gcloud` commands and other topics from the command line:

For example, to view the help for `gcloud compute instances create`:

`gcloud` displays a help topic that contains a description of the command, a list of
command flags and arguments, and examples of how to use it.

- Read the gcloud tool guide (/sdk/gcloud/) for an overview of the `gcloud` command-line tool,
  including a quick introduction to key concepts, command conventions, and helpful tips.

- Read the gcloud reference guide (/sdk/gcloud/reference) for detailed pages on each `gcloud`
  command, including descriptions, flags, and examples, that you can use to perform a
  variety of tasks on Google Cloud Platform.

- Install additional Cloud SDK APT packages (/sdk/downloads#deb-extras).