

This page shows how to install the Google Cloud SDK, initialize it, and run core `gcloud` commands from the command-line.

Note: If you are behind a proxy/firewall, see the [proxy settings \(/sdk/docs/proxy-settings\)](/sdk/docs/proxy-settings) page for more information on installation.

1. [Create a Google Cloud Platform project](#)

(<https://console.cloud.google.com/cloud-resource-manager>), if you don't have one already.

2. Make sure that Python 2.7 is installed on your system:

★ **Note:** As of Cloud SDK version 274.0.0, the `gcloud` CLI has GA support for running using a Python 3.5 and up interpreter. Run `gcloud topic startup` (<https://cloud.google.com/sdk/gcloud/reference/topic/startup>) for exclusions and more information on configuring your Python interpreter.

3. Download the archive file best suited to your operating system. Most machines will run the 64-bit package. If you'd like to check, run `uname -m` to verify if you're running a 64-bit system.

Platform	Package	Size	SHA256 Checksum
Linux 64-bit (x86_64)	google-cloud-sdk-277.0.0-linux-x86_64.tar.gz (https://dl.google.com/dl/cloudsdk/channels/rapid/downloads/google-cloud-sdk-277.0.0-linux-x86_64.tar.gz)	30.8 MB	b158894c427712d006fac235daf8d288db110ecfbcf649ed11cdf36ac2b2ff2a

Linux 32-bit (x86)	google-cloud-sdk-277.0.0- linux-x86.tar.gz (https://dl.google.com/dl/cloudsdk/channels/rapid/downloads/google-cloud-sdk-277.0.0-linux-x86.tar.gz)	30.4 MB	5d8c1f5e6bbeabf5f0a5874895f6b0a61 2df34f407f4d806f314101347da8c18
-----------------------	--	---------	--

Alternatively, to download the Linux 64-bit archive file from your command-line, run:

For the 32-bit archive file, run:

4. Extract the archive to any location on your file system; preferably, your Home folder. On Linux, you can extract the archive file by running this command:

5. **Optional:** Use the install script to add Cloud SDK tools to your path. You will also be able to opt-in to command-completion for your `bash` shell and [usage statistics collection](#) (`/sdk/usage-statistics`) during the installation process. Run the script using this command:

Restart your terminal for the changes to take effect.

Alternatively, you can call Cloud SDK after extracting the downloaded archive by invoking its executables via the full path.

Use the `gcloud init` (/sdk/gcloud/reference/init) command to perform several common SDK setup tasks. These include authorizing the SDK tools to access Google Cloud Platform using your user account credentials and setting up the default SDK configuration.

To initialize the SDK:

1. Run the following at a command prompt:

Note: If you get an error related to the `gcloud` command not being found, refer to step 5 in the section above.

Note: To prevent the command from launching a web browser, use `gcloud init --console-only` instead. To authorize without a web browser and non-interactively, create a service account with the appropriate scopes using the [Google Cloud Platform Console](https://console.cloud.google.com) (https://console.cloud.google.com) and use `gcloud auth activate-service-account` with the corresponding JSON key file.

2. Accept the option to log in using your Google user account:
3. In your browser, log in to your Google user account when prompted and click **Allow** to grant permission to access Google Cloud Platform resources.
4. At the command prompt, select a Cloud Platform project from the list of those where you have **Owner**, **Editor** or **Viewer** permissions:

If you only have one project, `gcloud init` selects it for you.

5. If you have the Google Compute Engine API enabled, `gcloud init` allows you to choose a default Compute Engine zone:

`gcloud init` confirms that you have complete the setup steps successfully:

6. (Optional) If you'd like a more streamlined screen reader experience, the `gcloud` command-line tool comes with an `accessibility/screen_reader` property.

To enable this property, run:

For more details about the accessibility features that come with the `gcloud` command-line tool, refer to the [Enabling accessibility features \(/sdk/docs/enabling-accessibility-features\)](/sdk/docs/enabling-accessibility-features) guide.

Run these `gcloud` commands to view information about your SDK installation:

1. To list accounts whose credentials are stored on the local system:

`gcloud` displays a list of credentialed accounts:

2. To list the properties in your active SDK configuration:

`gcloud` displays the list of properties:

3. To view information about your Cloud SDK installation and the active SDK configuration:

`gcloud` displays a summary of information about your Cloud SDK installation. This includes information about your system, the installed SDK components, the active user account and current project, and the properties in the active SDK configuration.

4. To view information about `gcloud` commands and other topics from the command line:

For example, to view the help for `gcloud compute instances create`:

`gcloud` displays a help topic that contains a description of the command, a list of command flags and arguments, and examples of how to use it.

- Read the [gcloud tool guide](/sdk/gcloud/) (`/sdk/gcloud/`) for an overview of the `gcloud` command-line tool, including a quick introduction to key concepts, command conventions, and helpful tips.
- Read the [gcloud reference guide](/sdk/gcloud/reference) (`/sdk/gcloud/reference`) for detailed pages on each `gcloud` command, including descriptions, flags, and examples, that you can use to perform a variety of tasks on Google Cloud Platform.
- Install additional components such as the App Engine emulators or `kubect1` using the [Cloud SDK component manager](/sdk/gcloud/guide/managing-components) (`/sdk/gcloud/guide/managing-components`).