Creates or updates a finding. The corresponding source must exist for a finding creation to succeed.

PATCH
`https://securitycenter.googleapis.com/v1/{finding.name=organizations/*/sources/*/findings/*}`

The URL uses gRPC Transcoding
(https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

Parameters

finding.name	string
	The relative resource name of this finding. See: https://cloud.google.com/apis/design/resource_names#relative_resource (https://cloud.google.com/apis/design/resource_names#relative_resourc Example: "organizations/{organization_id}/sources/{source_id}/findings/{findingId}

Parameters

Parameters	
updateMask	string (FieldMask (https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask) format)
	The FieldMask to use when updating the finding resource. This field should not be specified when creating a finding.
	When updating a finding, an empty mask is treated as updating all mutable fields and replacing sourceProperties. Individual sourceProperties can be added/updated by using "sourceProperties." in the field mask.
	A comma-separated list of fully qualified names of fields. Example: `"user.displayName,photo"`.

The request body contains an instance of **Finding** (/security-command-center/docs/reference/rest/v1/organizations.sources.findings#Finding).

If successful, the response body contains an instance of **Finding** (/security-command-center/docs/reference/rest/v1/organizations.sources.findings#Finding).

Requires the following OAuth scope:

- `https://www.googleapis.com/auth/cloud-platform`

For more information, see the Authentication Overview (https://cloud.google.com/docs/authentication/).

Requires the following Cloud IAM (https://cloud.google.com/iam/docs) permission on the `name` resource:

- `securitycenter.findings.update`

For more information, see the Cloud IAM Documentation (https://cloud.google.com/iam/docs).