

Lists all sources belonging to an organization.

GET https://securitycenter.googleapis.com/v1/{parent=organizations/*/sources}

The URL uses [gRPC Transcoding](https://github.com/googleapis/googleapis/blob/master/google/api/http.proto)

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

Parameters

parent

string

Required. Resource name of the parent of sources to list. Its format should be "organizations/[organization_id]".

Parameters

pageToken

string

The value returned by the last **ListSourcesResponse**; indicates that this is a continuation of a prior **sources.list** call, and that the system should return the next page of data.

pageSize

number

The maximum number of results to return in a single response. Default is 10, minimum is 1, maximum is 1000.

The request body must be empty.

If successful, the response body contains data with the following structure:

Response message for listing sources.

JSON representation

Fields

<code>sources[]</code>	object (Source (/security-command-center/docs/reference/rest/v1/organizations.sources#Source)) Sources belonging to the requested parent.
<code>nextPageToken</code>	string Token to retrieve the next page of results, or empty if there are no more results.

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](https://cloud.google.com/docs/authentication/) (https://cloud.google.com/docs/authentication/).

Requires the following Cloud IAM (<https://cloud.google.com/iam/docs>) permission on the **parent** resource:

- **securitycenter.sources.list**

For more information, see the Cloud IAM Documentation (<https://cloud.google.com/iam/docs>).