

Updates an organization's settings.

PATCH

`https://securitycenter.googleapis.com/v1/{organizationSettings.name=organizations/*}/organizationSettings{}`

The URL uses gRPC Transcoding

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

Parameters

`organizationSettings.name` **string**

The relative resource name of the settings. See:

https://cloud.google.com/apis/design/resource_names#relative_resource

(https://cloud.google.com/apis/design/resource_names#relative_resource)

Example: "organizations/{organization_id}/organizationSettings".

Parameters

Parameters

updateMask	string (<u>FieldMask</u>) (https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask) format) The FieldMask to use when updating the settings resource. If empty all mutable fields will be updated. A comma-separated list of fully qualified names of fields. Example: "user.displayName,photo".
------------	---

The request body contains an instance of [OrganizationSettings](#) (/security-command-center/docs/reference/rest/v1/OrganizationSettings).

If successful, the response body contains an instance of [OrganizationSettings](#) (/security-command-center/docs/reference/rest/v1/OrganizationSettings).

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](#) (<https://cloud.google.com/docs/authentication/>).

Requires the following [Cloud IAM](#) (<https://cloud.google.com/iam/docs>) permission on the name resource:

- **securitycenter.organizationsettings.update**

For more information, see the [Cloud IAM Documentation](#) (<https://cloud.google.com/iam/docs>).