User specified settings that are attached to the Cloud Security Command Center (Cloud SCC) organization. JSON representation **Fields** name string The relative resource name of the settings. See: https://cloud.google.com/apis/design/resource\_names#relative\_resource (https://cloud.google.com/apis/design/resource\_names#relative\_resourc Example: "organizations/{organization\_id}/organizationSettings". boolean enableAssetDiscovery A flag that indicates if Asset Discovery should be enabled. If the flag is set t then discovery of assets will occur. If it is set to 'false, all historical assets v remain, but discovery of future assets will not occur. object (AssetDiscoveryConfig assetDiscoveryConfig (/security-commandcenter/docs/reference/rest/v1beta1/OrganizationSettings#AssetDiscover ) ) The configuration used for Asset Discovery runs. The configuration used for Asset Discovery runs.

JSON representation		
Fields		
projectIds[]	string	
	The project ids to use for filtering asset discovery.	
inclusionMode	enum ( <u>InclusionMode</u>	
	(/security-command-center/docs/reference/rest/v1beta1/OrganizationSettings#InclusionMod	
	e) )	
	The mode to use for filtering asset discovery.	
	unning Asset Discovery. Asset discovery can be limited by	
	to be included or excluded. If INCLUDE_ONLY is set, then only nization and their children are discovered during asset discovery.	
If EXCLUDE is set, then projects that don't match those projects are discovered during asset		
discovery. If neither are set, then all projects within the organization are discovered during asset discovery.		
discovery.		
Enums		
INCLUSION_MODE_UNSPECIFIED	Unspecified. Setting the mode with this value will disable inclusion/exclusion filtering for Asset Discovery.	
INCLUDE_ONLY	Asset Discovery will capture only the resources within the projects specified. All other resources will be ignored.	

Enums	
	Asset Discovery will ignore all resources under the projects specified. All other resources will be retrieved.