

Runs asset discovery. The discovery is tracked with a long-running operation.

This API can only be called with limited frequency for an organization. If it is called too frequently the caller will receive a TOO_MANY_REQUESTS error.

POST

`https://securitycenter.googleapis.com/v1beta1/{parent=organizations/*/assets:runDiscovery`

The URL uses [gRPC Transcoding](#)

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

Parameters

parent

string

Required. Name of the organization to run asset discovery for. Its format is "organizations/[organization_id]".

The request body must be empty.

If successful, the response body contains an instance of [Operation](#)

(</security-command-center/docs/reference/rest/v1beta1/organizations.assets/runDiscovery/>).

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](https://cloud.google.com/docs/authentication/)

(<https://cloud.google.com/docs/authentication/>).

Requires the following [Cloud IAM](https://cloud.google.com/iam/docs) (<https://cloud.google.com/iam/docs>) permission on the [parent](#) resource:

- [securitycenter.assets.runDiscovery](#)

For more information, see the [Cloud IAM Documentation](https://cloud.google.com/iam/docs) (<https://cloud.google.com/iam/docs>).