

Updates the state of a finding.

POST

`https://securitycenter.googleapis.com/v1beta1/{name=organizations/*/sources/*/findings/*}:setState`

The URL uses [gRPC Transcoding](#)

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

Parameters

name

string

Required. The relative resource name of the finding. See:

https://cloud.google.com/apis/design/resource_names#relative_resource
(https://cloud.google.com/apis/design/resource_names#relative_resource)

Example:

"organizations/{organization_id}/sources/{source_id}/finding/{findingId}".

The request body contains data with the following structure:

JSON representation

Fields

state	enum (<u>State</u>) (/security-command-center/docs/reference/rest/v1beta1/organizations.sources.findings#State)) Required. The desired State of the finding.
startTime	string (<u>Timestamp</u>) (https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.Timestamp) format) Required. The time at which the updated state takes effect. A timestamp in RFC3339 UTC "Zulu" format, accurate to nanoseconds. Example: "2014-10-02T15:01:23.045123456Z".

If successful, the response body contains an instance of **Finding**
(/security-command-center/docs/reference/rest/v1beta1/organizations.sources.findings#Finding).

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](https://cloud.google.com/docs/authentication/)
(https://cloud.google.com/docs/authentication/).

Requires the following [Cloud IAM](https://cloud.google.com/iam/docs) (https://cloud.google.com/iam/docs) permission on the **name** resource:

- `securitycenter.findings.setState`

For more information, see the [Cloud IAM Documentation](https://cloud.google.com/iam/docs) (https://cloud.google.com/iam/docs).