Lists all sources belonging to an organization.

GET `https://securitycenter.googleapis.com/v1beta1/{parent=organizations/*}/sources`

The URL uses gRPC Transcoding
 (https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

Parameters

parent	string
	Required. Resource name of the parent of sources to list. Its format should be "organizations/[organization_id]".

Parameters

pageToken	string
	The value returned by the last `ListSourcesResponse`; indicates that this is a continuation of a prior `sources.list` call, and that the system should return the next page of data.
pageSize	number
	The maximum number of results to return in a single response. Default is 10, minimum is 1, maximum is 1000.

The request body must be empty.

If successful, the response body contains data with the following structure:

Response message for listing sources.

JSON representation

Fields

`sources[]`	object (Source (/security-command-center/docs/reference/rest/v1beta1/organizations.sources#Source)) Sources belonging to the requested parent.
`nextPageToken`	string Token to retrieve the next page of results, or empty if there are no more results.

Requires the following OAuth scope:

- `https://www.googleapis.com/auth/cloud-platform`

For more information, see the Authentication Overview (https://cloud.google.com/docs/authentication/).

Requires the following Cloud IAM (https://cloud.google.com/iam/docs) permission on the `parent` resource:

- `securitycenter.sources.list`

For more information, see the Cloud IAM Documentation (https://cloud.google.com/iam/docs).