

Updates an organization's settings.

## PATCH

`https://securitycenter.googleapis.com/v1beta1/{organizationSettings.name=organizations/*/organizationSettings}`

The URL uses gRPC Transcoding

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

## Parameters

`organizationSettings.name` **string**

The relative resource name of the settings. See:

[https://cloud.google.com/apis/design/resource\\_names#relative\\_resource](https://cloud.google.com/apis/design/resource_names#relative_resource)

([https://cloud.google.com/apis/design/resource\\_names#relative\\_resource](https://cloud.google.com/apis/design/resource_names#relative_resource))

Example: "organizations/{organization\_id}/organizationSettings".

## Parameters

## Parameters

updateMask	<b>string (<u>FieldMask</u>)</b> ( <a href="https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask">https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask</a> ) <b>format</b> )  The FieldMask to use when updating the settings resource.  A comma-separated list of fully qualified names of fields. Example: "user.displayName,photo".
------------	---

The request body contains an instance of **OrganizationSettings** (</security-command-center/docs/reference/rest/v1beta1/OrganizationSettings>).

If successful, the response body contains an instance of **OrganizationSettings** (</security-command-center/docs/reference/rest/v1beta1/OrganizationSettings>).

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](#) (<https://cloud.google.com/docs/authentication/>).

Requires the following [Cloud IAM](#) (<https://cloud.google.com/iam/docs>) permission on the name resource:

- `securitycenter.organizationsettings.update`

For more information, see the [Cloud IAM Documentation](#) (<https://cloud.google.com/iam/docs>).