<u>Al & Machine Learning Products</u> (https://cloud.google.com/products/machine-learning/) <u>Cloud Speech-to-Text</u> (https://cloud.google.com/speech-to-text/) <u>Documentation</u> (https://cloud.google.com/speech-to-text/docs/) <u>Guides</u>

How-to guides

Performing speech recognition

Transcribing short audio files Perform synchronous speech recognition on local and remote audio files. (https://cloud.google.com/speech-to-text/docs/sync-recognize)

Transcribing long audio files Perform asynchronous speech recognition on remote audio files. (https://cloud.google.com/speech-to-text/docs/async-recognize)

Transcribing audio from streaming input Perform streaming speech recognition on local audio files and other audio input streams. (https://cloud.google.com/speech-to-text/docs/streaming-recognize)

Configuring recognition requests

Enabling word-level confidence

Specify that Cloud Speech-to-Text indicate a value of accuracy, or confidence level, for individual words in a transcription.

(https://cloud.google.com/speech-to-text/docs/word-confidence)

Separating different speakers

Get labels for different speakers in audio data transcribed by Cloud Speech-to-Text.

(https://cloud.google.com/speech-to-text/docs/multiple-voices)

Detecting language spoken automatically Provide multiple language codes for audio transcription requests sent to Cloud Speech-to-Text. (https://cloud.google.com/speech-to-text/docs/multiple-languages)

Transcribing audio with multiple channels Transcribe audio files that include more than one channel. (https://cloud.google.com/speech-to-text/docs/multi-channel)

Selecting a transcription model Select a specialized machine learning model for audio transcription. (https://cloud.google.com/speech-to-text/docs/transcription-model)

Enabling data logging Enable data logging on your Google Cloud project to receive discounted pricing. (https://cloud.google.com/speech-to-text/docs/enable-data-logging)

Using enhanced models Use enhanced speech recognition models. (https://cloud.google.com/speech-to-text/docs/enhanced-models)

Adding recognition metadata Provide additional details about audio included in a transcription request to receive better output. (https://cloud.google.com/speech-to-text/docs/recognition-metadata)

Getting punctuation Include punctuation in transcription results from Cloud Speech-to-Text. (https://cloud.google.com/speech-to-text/docs/automatic-punctuation)

Getting word timestamps

Perform speech recognition on a remote file and include time offset (timestamp) values for recognized words.

(https://cloud.google.com/speech-to-text/docs/async-time-offsets)

Base64 encoding Learn how to base64 encode audio. (https://cloud.google.com/speech-to-text/docs/base64-encoding)

Except as otherwise noted, the content of this page is licensed under the <u>Creative Commons Attribution 4.0 License</u> (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the <u>Apache 2.0 License</u> (https://www.apache.org/licenses/LICENSE-2.0). For details, see our <u>Site Policies</u> (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.