Cloud SQL (https://cloud.google.com/sql/)
Documentation (https://cloud.google.com/sql/docs/)

MySQL (https://cloud.google.com/sql/docs/mysql/) Reference



Method: backupRuns.delete

Deletes the backup taken by a backup run.

HTTP request

DELETE

https://www.googleapis.com/sql/v1beta4/projects/{project}/instances/{instance}/backu
pRuns/{id}

The URL uses gRPC Transcoding

(https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

Path parameters

Parameters	
project	string
	Project ID of the project that contains the instance.
instance	string
	Cloud SQL instance ID. This does not include the project ID.
id	<pre>string (int64 (https://developers.google.com/discovery/v1/type-format)</pre>
	The ID of the Backup Run to delete. To find a Backup Run ID, use the <u>list</u> (https://cloud.google.com/sql/docs/mysql/admin-api/rest/v1beta4/backupRuns/list) method.

Request body

The request body must be empty.

Response body

If successful, the response body contains an instance of <u>Operation</u> (https://cloud.google.com/sql/docs/mysql/admin-api/rest/v1beta4/operations#Operation).

Authorization Scopes

Requires one of the following OAuth scopes:

- https://www.googleapis.com/auth/cloud-platform
- https://www.googleapis.com/auth/sqlservice.admin

For more information, see the <u>Authentication Overview</u> (https://cloud.google.com/docs/authentication/).

Except as otherwise noted, the content of this page is licensed under the <u>Creative Commons Attribution 4.0 License</u> (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the <u>Apache 2.0 License</u> (https://www.apache.org/licenses/LICENSE-2.0). For details, see our <u>Site Policies</u> (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated December 9, 2019.