

[Cloud SQL](https://cloud.google.com/sql/) (<https://cloud.google.com/sql/>)[Documentation](https://cloud.google.com/sql/docs/) (<https://cloud.google.com/sql/docs/>)[MySQL](https://cloud.google.com/sql/docs/mysql/) (<https://cloud.google.com/sql/docs/mysql/>) [Reference](#)

# Method: operations.list

Lists all instance operations that have been performed on the given Cloud SQL instance in the reverse chronological order of the start time.

## HTTP request

```
GET https://www.googleapis.com/sql/v1beta4/projects/{project}/operations
```

The URL uses [gRPC Transcoding](#)

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

## Path parameters

Parameters	
<b>project</b>	<b>string</b> Project ID of the project that contains the instance.

## Query parameters

Parameters	
<b>instance</b>	<b>string</b> Cloud SQL instance ID. This does not include the project ID.
<b>maxResults</b>	<b>integer (<code>uint32</code>)</b> ( <a href="https://developers.google.com/discovery/v1/type-format">https://developers.google.com/discovery/v1/type-format</a> ) <b>format</b> Maximum number of operations per response.

## Parameters

pageToken	<b>string</b>
	A previously-returned page token representing part of the larger set of results to view.

## Request body

The request body must be empty.

## Response body

If successful, the response body contains data with the following structure:

Database instance list operations response.

## JSON representation

```
{
  "kind": string,
  "items": [
    {
      object (Operation (https://cloud.google.com/sql/docs/mysql/admin-api/rest/v1beta4/operation)
    }
  ],
  "nextPageToken": string
}
```

## Fields

kind	<b>string</b>
	This is always <b>sql#operationsList</b>

## Fields

<b>items[ ]</b>	<b>object (<a href="#">Operation</a>)</b> ( <a href="https://cloud.google.com/sql/docs/mysql/admin-api/rest/v1beta4/operations#Operation">https://cloud.google.com/sql/docs/mysql/admin-api/rest/v1beta4/operations#Operation</a> ) )  backupRuns.list of operation resources.
<b>nextPageToken</b>	<b>string</b>  The continuation token, used to page through large result sets. Provide this value in a subsequent request to return the next page of results.

## Authorization Scopes

Requires one of the following OAuth scopes:

- <https://www.googleapis.com/auth/cloud-platform>
- <https://www.googleapis.com/auth/sqlservice.admin>

For more information, see the [Authentication Overview](#)

(<https://cloud.google.com/docs/authentication/>).

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](#) (<https://www.apache.org/licenses/LICENSE-2.0>). For details, see our [Site Policies](#) (<https://developers.google.com/terms/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated December 9, 2019.