

[Cloud SQL](https://cloud.google.com/sql/) (<https://cloud.google.com/sql/>)

[Documentation](https://cloud.google.com/sql/docs/) (<https://cloud.google.com/sql/docs/>)

[MySQL](https://cloud.google.com/sql/docs/mysql/) (<https://cloud.google.com/sql/docs/mysql/>) [Guides](#)

Cloud SQL for MySQL features

MySQL | [PostgreSQL](https://cloud.google.com/sql/docs/postgres/features) (<https://cloud.google.com/sql/docs/postgres/features>) | [SQL Server](https://cloud.google.com/sql/docs/sqlserver/features) (<https://cloud.google.com/sql/docs/sqlserver/features>)

This page describes the major features and capabilities of Cloud SQL for MySQL. Cloud SQL is also available for [PostgreSQL](https://cloud.google.com/sql/docs/postgres/features) (<https://cloud.google.com/sql/docs/postgres/features>) and [SQL Server](https://cloud.google.com/sql/docs/sqlserver/features) (<https://cloud.google.com/sql/docs/sqlserver/features>).

Cloud SQL for MySQL

Features

- Fully managed MySQL Community Edition databases in the cloud.
- Second Generation instances support MySQL 5.6 or 5.7, and provide up to 416 GB of RAM and 30 TB of data storage, with the option to automatically increase the storage size as needed.
- First Generation instances support MySQL 5.5 or 5.6, and provide up to 16 GB of RAM and 500 GB of data storage.

Note: Second Generation is replacing First Generation; support for First Generation instances ends January 30, 2020. To upgrade a First Generation instance to Second Generation, see [Upgrading a First Generation Instance to Second Generation](https://cloud.google.com/sql/docs/mysql/upgrade-2nd-gen) (<https://cloud.google.com/sql/docs/mysql/upgrade-2nd-gen>).

- Create and manage instances in the [Google Cloud Console](https://console.cloud.google.com/) (<https://console.cloud.google.com/>).
- Instances available in US, EU, Asia or Australia.
- Customer data encrypted on Google's internal networks and in database tables, temporary files, and backups.

- Support for secure external connections with the Cloud SQL Proxy or with the SSL/TLS protocol.
- Support for private IP (private services access).
- Data replication between multiple zones with automatic failover.
- Import and export databases using `mysqldump`, or import and export CSV files.
- Support for MySQL wire protocol and standard MySQL connectors.
- Automated and on-demand backups, and point-in-time recovery.
- Instance cloning.
- Integration with Stackdriver logging and monitoring.
- ISO/IEC 27001
(http://www.iso.org/iso/home/store/catalogue_ics/catalogue_detail_ics.htm?csnumber=54534) compliant.

Supported languages

You can use Cloud SQL for MySQL with App Engine applications that are written in Java, Python, PHP, Node.js, Go, and Ruby. You can also use Cloud SQL for MySQL with external applications using the standard MySQL protocol.

How you can connect to Cloud SQL for MySQL instances

You can connect to a Cloud SQL instance for MySQL from:

- A `mysql` client. Learn more (<https://cloud.google.com/sql/docs/mysql/connect-admin-ip>).
- Third-party tools like SQL Workbench or Toad for MySQL. Learn more (<https://cloud.google.com/sql/docs/mysql/admin-tools>).
- External applications. Learn more (<https://cloud.google.com/sql/docs/mysql/connect-external-app>).
- App Engine applications. Learn more (<https://cloud.google.com/sql/docs/mysql/connect-app-engine>).
- Applications running on Compute Engine. Learn more (<https://cloud.google.com/sql/docs/mysql/connect-compute-engine>).

- Applications running on Google Kubernetes Engine. [Learn more](https://cloud.google.com/sql/docs/mysql/connect-kubernetes-engine) (https://cloud.google.com/sql/docs/mysql/connect-kubernetes-engine).
- Cloud Functions. [Learn more](https://cloud.google.com/sql/docs/mysql/connect-functions) (https://cloud.google.com/sql/docs/mysql/connect-functions).
- Google Apps Script scripts [Learn more](https://developers.google.com/apps-script/jdbc) (https://developers.google.com/apps-script/jdbc).

Connecting to Cloud SQL by using Private Google access is not supported. Private services access is supported. For more information, see [Private Access Options for Services](https://cloud.google.com/vpc/docs/private-access-options) (https://cloud.google.com/vpc/docs/private-access-options).

Differences between Cloud SQL and standard MySQL functionality

In general, the MySQL functionality provided by a Cloud SQL instance is the same as the functionality provided by a locally-hosted MySQL instance. However, there are a few differences between a standard MySQL instance and a Cloud SQL for MySQL instance.

Unsupported features

- [User defined functions](https://dev.mysql.com/doc/refman/5.7/en/adding-functions.html) (https://dev.mysql.com/doc/refman/5.7/en/adding-functions.html)
- [InnoDB memcached plugin](https://dev.mysql.com/doc/refman/5.7/en/innodb-memcached.html) (https://dev.mysql.com/doc/refman/5.7/en/innodb-memcached.html)
- [Federated Engine](https://dev.mysql.com/doc/refman/5.7/en/federated-storage-engine.html) (https://dev.mysql.com/doc/refman/5.7/en/federated-storage-engine.html)
- [Memory Storage Engine](https://dev.mysql.com/doc/refman/5.7/en/memory-storage-engine.html) (https://dev.mysql.com/doc/refman/5.7/en/memory-storage-engine.html)
- [The SUPER privilege](https://dev.mysql.com/doc/refman/5.7/en/privileges-provided.html#priv_super) (https://dev.mysql.com/doc/refman/5.7/en/privileges-provided.html#priv_super)

Note: Because Cloud SQL is a managed service, it restricts access to certain system procedures and tables that require advanced privileges.

Unsupported statements

Sending any of the following types of SQL statements will generate an error with the message "Error 1290: The MySQL server is running with the google option so it cannot execute this statement":

- **LOAD DATA INFILE**

Note that `LOAD DATA LOCAL INFILE` is supported.

- `SELECT ... INTO OUTFILE`
- `SELECT ... INTO DUMPFILE`
- `INSTALL PLUGIN ...`
- `UNINSTALL PLUGIN`
- `CREATE FUNCTION ... SONAME ...`

Unsupported statements for Second Generation instances

The following statements are not supported because Second Generation instances use GTID replication:

- `CREATE TABLE ... SELECT` statements
- `CREATE TEMPORARY TABLE` statements inside transactions
- Transactions or statements that update both transactional and nontransactional tables

For more information, see [the MySQL documentation](https://dev.mysql.com/doc/refman/5.7/en/replication-gtids-restrictions.html)

(<https://dev.mysql.com/doc/refman/5.7/en/replication-gtids-restrictions.html>).

Unsupported functions

- `LOAD_FILE()`

Unsupported client program features

- `mysqlimport` (<https://dev.mysql.com/doc/refman/5.7/en/mysqlimport.html>) without using the `--local` option. This is because of the `LOAD DATA INFILE` restriction. If you need to load data remotely, use the Cloud SQL [import function](https://cloud.google.com/sql/docs/mysql/import-export/importing) (<https://cloud.google.com/sql/docs/mysql/import-export/importing>).
- `mysqldump` (<https://dev.mysql.com/doc/refman/5.7/en/mysqldump.html>) using the `--tab` option or options that are used with `--tab`. This is because the `FILE` (https://dev.mysql.com/doc/refman/5.7/en/privileges-provided.html#priv_file) privilege is not granted for instance users. All other `mysqldump` options are supported.
- If you want to import databases with binary data into your Cloud SQL for MySQL instance, you must use the `--hex-blob` option with `mysqldump`.

Although `hex-blob` is not a required flag when you are using a local MySQL server instance and the `mysql` client, it is required if you want to import any databases with binary data into your Cloud SQL instance. For more information about importing data, see [Importing Data](https://cloud.google.com/sql/docs/mysql/import-export/importing) (<https://cloud.google.com/sql/docs/mysql/import-export/importing>).

- Not all MySQL options and parameters are enabled for editing as [Cloud SQL flags](https://cloud.google.com/sql/docs/mysql/flags) (<https://cloud.google.com/sql/docs/mysql/flags>).

To request the addition of a configurable Cloud SQL flag, use the [Cloud SQL Discussion group](https://groups.google.com/forum/#!forum/google-cloud-sql-discuss) (<https://groups.google.com/forum/#!forum/google-cloud-sql-discuss>).

- For Second Generation instances, InnoDB is the only supported storage engine. For help with converting tables from MyISAM to InnoDB, see [the MySQL documentation](https://dev.mysql.com/doc/refman/5.7/en/converting-tables-to-innodb.html) (<https://dev.mysql.com/doc/refman/5.7/en/converting-tables-to-innodb.html>).
- You cannot import or export triggers, functions, stored procedures, or views into Cloud SQL. However, you can create and use these elements on a Cloud SQL instance.

Notable MySQL options

Cloud SQL runs MySQL with a specific set of options. If an option might impact how your applications work, we note it here for your information.

`skip-name-resolve`

This flag impacts how hostnames are resolved for client connections. [Learn more](https://dev.mysql.com/doc/refman/5.7/en/server-options.html#option_mysql_skip-name-resolve) (https://dev.mysql.com/doc/refman/5.7/en/server-options.html#option_mysql_skip-name-resolve).

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (<https://www.apache.org/licenses/LICENSE-2.0>). For details, see our [Site Policies](https://developers.google.com/terms/site-policies) (<https://developers.google.com/terms/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated January 2, 2020.