Method: projects.companies.list   ⛶   ✕

Lists all companies associated with the project.

HTTP request

`GET https://jobs.googleapis.com/v4beta1/{parent=projects/*}/companies`

The URL uses gRPC Transcoding
 (https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

Path parameters

Parameters	
parent	string Required. Resource name of the tenant under which the company is created. The format is "projects/{project_id}/tenants/{tenantId}", for example, "projects/foo/tenant/bar". If tenant id is unspecified, the default tenant will be used, for example, "projects/foo".

Query parameters

Parameters	
pageToken	**string** The starting indicator from which to return results.
pageSize	**number** The maximum number of companies to be returned, at most 100. Default is 100 if a non-positive number is provided.
requireOpenJobs	**boolean** Set to true if the companies requested must have open jobs. Defaults to false. If true, at most **pageSize** (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.companies/list#body.QUERY_PARAMETERS.page_size) of companies are fetched, among which only those with open jobs are returned.

Request body

The request body must be empty.

Response body

If successful, the response body contains an instance of **ListCompaniesResponse** (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/ListCompaniesResponse) .

Authorization Scopes

Requires one of the following OAuth scopes:

- `https://www.googleapis.com/auth/jobs`

- `https://www.googleapis.com/auth/cloud-platform`

For more information, see the <u>Authentication Overview</u>
 (https://cloud.google.com/docs/authentication/).