Job Search documentation

Method: projects.jobs.create

13 X

Creates a new job.

Typically, the job becomes searchable within 10 seconds, but it may take up to 5 minutes.

HTTP request

POST https://jobs.googleapis.com/v4beta1/{parent=projects/*}/jobs

The URL uses <u>gRPC Transcoding</u> (https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

Path parameters

Parameters	
parent	string Required. The resource name of the tenant under which the job is created.
	The format is "projects/{project_id}/tenants/{tenantId}". For example, "projects/foo/tenant/bar". If tenant id is unspecified a default tenant is created. For example, "projects/foo".

Request body

The request body contains data with the following structure:

JSON representation	
<pre>{ "job": { object (Job(https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/proje } }</pre>	
Fields	
job	object (<u>Job</u> (https://cloud.google.com/talent-solution/job- search/docs/reference/rest/v4beta1/projects.jobs#Job))
	Required. The Job to be created.

Response body

If successful, the response body contains a newly created instance of <u>Job</u> (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.jobs#Job).

Authorization Scopes

Requires one of the following OAuth scopes:

- https://www.googleapis.com/auth/jobs
- https://www.googleapis.com/auth/cloud-platform

For more information, see the <u>Authentication Overview</u> (https://cloud.google.com/docs/authentication/).

Except as otherwise noted, the content of this page is licensed under the <u>Creative Commons Attribution 4.0 License</u> (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the <u>Apache 2.0 License</u> (https://www.apache.org/licenses/LICENSE-2.0). For details, see our <u>Site Policies</u> (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated September 13, 2019.