

[Job Search documentation](#)

# Method: projects.tenants.profiles.applications.list

Lists all applications associated with the profile.

## HTTP request

GET

`https://jobs.googleapis.com/v4beta1/{parent=projects/*/tenants/*/profiles/*/}/applications`

The URL uses [gRPC Transcoding](#)

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

## Path parameters

### Parameters

**parent**

**string**

Required. Resource name of the profile under which the application is created.

The format is

"projects/{project\_id}/tenants/{tenantId}/profiles/{profile\_id}", for example, "projects/foo/tenants/bar/profiles/baz".

## Query parameters

## Parameters

pageToken	<b>string</b>
	The starting indicator from which to return results.
pageSize	<b>number</b>
	The maximum number of applications to be returned, at most 100. Default is 100 if a non-positive number is provided.

## Request body

The request body must be empty.

## Response body

If successful, the response body contains data with the following structure:

The List applications response object.

## JSON representation

```
{  
  "applications": [  
    {  
      "object": \(Application\) (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.profiles.applications/list#Application)  
    }  
  ],  
  "nextPageToken": string,  
  "metadata": {  
    "object": \(ResponseMetadata\) (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.profiles.applications/list#ResponseMetadata)  
  }  
}
```

## Fields

## Fields

<b>applications[]</b>	<b>object (<a href="#">Application</a>)</b> ( <a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.profiles.applications#Application">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.profiles.applications#Application</a> ) )
	Applications for the current client.
<b>nextPageToken</b>	<b>string</b>  A token to retrieve the next page of results.
<b>metadata</b>	<b>object (<a href="#">ResponseMetadata</a>)</b> ( <a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/ResponseMetadata">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/ResponseMetadata</a> ) )
	Additional information for the API invocation, such as the request tracking id.

## Authorization Scopes

Requires one of the following OAuth scopes:

- <https://www.googleapis.com/auth/jobs>
- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](#)

(<https://cloud.google.com/docs/authentication/>).

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](#)

(<https://www.apache.org/licenses/LICENSE-2.0>). For details, see our [Site Policies](#) (<https://developers.google.com/terms/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated September 13, 2019.