Job Search documentation

Method: projects.tenants.create

Creates a new tenant entity.

HTTP request

```
POST https://jobs.googleapis.com/v4beta1/{parent=projects/*}/tenants
```

The URL uses gRPC Transcoding (https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

Path parameters

Parameters	
`parent`	`string` Required. Resource name of the project under which the tenant is created. The format is "projects/{project_id}", for example, "projects/foo".

Request body

The request body contains data with the following structure:

JSON representation

JSON representation

```
{
  "tenant": {
    object (Tenant (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/p
  }
}
```

Fields	
`tenant`	`object (Tenant` (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#Tenant) `)` Required. The tenant to be created.

Response body

If successful, the response body contains a newly created instance of `Tenant` (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#Tenant).

Authorization Scopes

Requires one of the following OAuth scopes:

- `https://www.googleapis.com/auth/jobs`
- `https://www.googleapis.com/auth/cloud-platform`

For more information, see the Authentication Overview (https://cloud.google.com/docs/authentication/).

Except as otherwise noted, the content of this page is licensed under the Creative Commons Attribution 4.0 License (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the Apache 2.0 License (https://www.apache.org/licenses/LICENSE-2.0). For details, see our Site Policies (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated September 13, 2019.