

[Job Search documentation](#)

# Method: projects.tenants.patch



Updates specified tenant.

## HTTP request

PATCH `https://jobs.googleapis.com/v4beta1/{tenant.name=projects/*/tenants/*}`

The URL uses [gRPC Transcoding](#)

(<https://github.com/googleapis/googleapis/blob/master/google/api/http.proto>) syntax.

## Path parameters

### Parameters

**tenant.name**

**string**

Required during tenant update.

The resource name for a tenant. This is generated by the service when a tenant is created.

The format is "projects/{project\_id}/tenants/{tenantId}", for example, "projects/foo/tenants/bar".

## Request body

The request body contains data with the following structure:

## JSON representation

```
{  
  "tenant": {  
    "name": string,  
    "externalId": string,  
    "usageType": enum (DataUsageType (https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#DataUsageType))  
    "keywordSearchableProfileCustomAttributes": [  
      string  
    ]  
  },  
  "updateMask": string  
}
```

## Fields

<b>tenant.externalId</b>	<b>string</b>
	<p>Required. Client side tenant identifier, used to uniquely identify the tenant.</p> <p>The maximum number of allowed characters is 255.</p>
<b>tenant.usageType</b>	<b>enum (<a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#DataUsageType">DataUsageType</a> (<a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#DataUsageType">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#DataUsageType</a>))</b>
	<p>Indicates whether data owned by this tenant may be used to provide product improvements across other tenants.</p> <p>Defaults behavior is <b>DataUsageType.ISOLATED</b> (<a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#DataUsageType.ISOLATED">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#DataUsageType.ISOLATED</a>) if it's unset.</p>

## Fields

<b>tenant.</b>	<b>string</b>
<b>keywordSearchableProfileCustomAttributes[]</b>	A list of keys of filterable <b><u>Profile.custom_attributes</u></b> ( <a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.profiles#Profile.FIELDS.custom_attributes">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants.profiles#Profile.FIELDS.custom_attributes</a> ) , whose corresponding <b>stringValues</b> are used in keyword searches. Profiles with <b>stringValues</b> under these specified field keys are returned if any of the values match the search keyword. Custom field values with parenthesis, brackets and special symbols are not searchable as-is, and must be surrounded by quotes.
<b>updateMask</b>	<b>string (FieldMask)</b> ( <a href="https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask">https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask</a> )  Strongly recommended for the best service experience.  If <b><u>updateMask</u></b> ( <a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants/patch#body.request_body.FIELDS.update_mask">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants/patch#body.request_body.FIELDS.update_mask</a> ) is provided, only the specified fields in <b>tenant</b> are updated. Otherwise all the fields are updated.  A field mask to specify the tenant fields to be updated. Only top level fields of <b><u>Tenant</u></b> ( <a href="https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#Tenant">https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#Tenant</a> ) are supported.  A comma-separated list of fully qualified names of fields. Example: "user.displayName,photo".

## Response body

If successful, the response body contains an instance of **Tenant**

(<https://cloud.google.com/talent-solution/job-search/docs/reference/rest/v4beta1/projects.tenants#Tenant>)

## Authorization Scopes

Requires one of the following OAuth scopes:

- <https://www.googleapis.com/auth/jobs>
- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](#)

(<https://cloud.google.com/docs/authentication/>).

---

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](#) (<https://creativecommons.org/licenses/by/4.0/>), and code samples are licensed under the [Apache 2.0 License](#) (<https://www.apache.org/licenses/LICENSE-2.0>). For details, see our [Site Policies](#) (<https://developers.google.com/terms/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated September 13, 2019.