

Starts asynchronous cancellation on a long-running operation. The server makes a best effort to cancel the operation, but success is not guaranteed. If the server doesn't support this method, it returns `google.rpc.Code.UNIMPLEMENTED`. Clients can use `Operations.GetOperation` (`/translate/automl/docs/reference/rest/v1beta1/projects.locations.operations/get#google.longrunning.Operations.GetOperation`) or other methods to check whether the cancellation succeeded or whether the operation completed despite cancellation. On successful cancellation, the operation is not deleted; instead, it becomes an operation with an `Operation.error` (`/translate/automl/docs/reference/rest/v1beta1/projects.locations.operations#Operation.FIELDS.error`) value with a `google.rpc.Status.code` (`/translate/automl/docs/reference/rest/v1beta1/projects.locations.operations#Status.FIELDS.code`) of 1, corresponding to `Code.CANCELLED`.

POST `https://automl.googleapis.com/v1beta1/{name}:cancel`

Parameters

name	string
	The name of the operation resource to be cancelled.
	Authorization requires the following Google IAM (<code>https://cloud.google.com/iam</code>) permission on the specified resource name :
	<ul style="list-style-type: none">• <code>automl.operations.cancel</code>

The request body must be empty.

If successful, the response body will be empty.

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](https://cloud.google.com/docs/authentication/)
(<https://cloud.google.com/docs/authentication/>).