Lists operations that match the specified filter in the request. If the server doesn't support this method, it returns UNIMPLEMENTED.

NOTE: the name binding allows API services to override the binding to use different resource name schemes, such as users/\*/operations. To override the binding, API services can add a binding such as "/v1/{name=users/\*}/operations" to their service configuration. For backwards compatibility, the default name includes the operations collection id, however overriding users must ensure the name binding is the parent resource, without the operations collection id.

GET https://automl.googleapis.com/v1beta1/{name}/operations

## **Parameters**

**Parameters** 

name	string
	The name of the operation's parent resource.
	Authorization requires the following <u>Google IAM</u> (https://cloud.google.com/iam) permission on the specified resource
	<ul><li>name:</li><li>automl.operations.get</li></ul>

Parameters		
filter	string	
	An expression for filtering the results of the request.	
	• operation_id - for = or !=.	
	• done - for = or !=.	
	• works0n-for = or !=.	
	Some examples of using the filter are:	
	• done=true> The operation has finished running.	
	<ul> <li>worksOn = projects/my-project/locations/us- central1/datasets/5&gt; The operation works on a dataset with ID 5.</li> </ul>	
	<ul> <li>worksOn = projects/my-project/locations/us- central1/models/15&gt; The operation works on a model with ID 15.</li> </ul>	
pageSize	number	
	The standard list page size.	
pageToken	string	
	The standard list page token.	
The request body must be em	npty.	
If successful, the response bo	ody contains data with the following structure:	
The response message for <u>Operations.ListOperations</u> (/translate/automl/docs/reference/rest/v1beta1/projects.locations.operations/list#google.longrunning.Operations.ListOperations)		

JSON representation		
Fields		
operations[]	<pre>object(Operation   (/translate/automl/docs/reference/rest/v1beta1/projects.locations.oper   ations#Operation) )</pre>	
	A list of operations that matches the specified filter in the request.	
nextPageToken	string	
	The standard List next-page token.	
Requires the following OAuth scope:		
• https://www.googleapis.com/auth/cloud-platform		
For more information, see the <u>Authentication Overview</u>		
(https://cloud.google.com/docs/authentication/).		