Method: projects.locations.datasets.tableSpecs.patch

Updates a table spec.

HTTP request

`PATCH https://automl.googleapis.com/v1beta1/{tableSpec.name}`

Path parameters

Parameters	
`tableSpec.name`	string Output only. The resource name of the table spec. Form: `projects/{project_id}/locations/{locationId}/datasets/{datasetId}/tableSpecs/{tableSpecId}`

Query parameters

Parameters	
`updateMask`	string (FieldMask (https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask) format) The update mask applies to the resource. A comma-separated list of fully qualified names of fields. Example: `"user.displayName,photo"`.

Request body

The request body contains an instance of TableSpec
(https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/projects.locations.datasets.tableSp
ecs#TableSpec)

.

Response body

If successful, the response body contains an instance of TableSpec
(https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/projects.locations.datasets.tableSp
ecs#TableSpec)

.

Authorization Scopes

Requires the following OAuth scope:

- `https://www.googleapis.com/auth/cloud-platform`

For more information, see the Authentication Overview
(https://cloud.google.com/docs/authentication/).