Method: projects.locations.models.modelEvaluations.l...

Lists model evaluations.

HTTP request

`GET https://automl.googleapis.com/v1beta1/{parent}/modelEvaluations`

Path parameters

Parameters

parent	string Resource name of the model to list the model evaluations for. If modelId is set as "-", this will list model evaluations from across all models of the parent location. Authorization requires the following Google IAM (https://cloud.google.com/iam) permission on the specified resource `parent`: • `automl.modelEvaluations.list`

Query parameters

Parameters

Parameters	
filter	string An expression for filtering the results of the request. • **annotationSpecId** - for =, != or existence. See example below for the last. Some examples of using the filter are: • `annotationSpecId!=4` --> The model evaluation was done for annotation spec with ID different than 4. • `NOT annotationSpecId:*` --> The model evaluation was done for aggregate of all annotation specs.
pageSize	number Requested page size.
pageToken	string A token identifying a page of results for the server to return. Typically obtained via **ListModelEvaluationsResponse.next_page_token** (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/projects.locations.models.modelEvaluations/list#body.ListModelEvaluationsResponse.FIELDS.next_page_token) of the previous **AutoMl.ListModelEvaluations** (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/projects.locations.models.modelEvaluations/list#google.cloud.automl.v1beta1.AutoMl.ListModelEvaluations) call.

Request body

The request body must be empty.

Response body

If successful, the response body contains data with the following structure:

Response message for **AutoMl.ListModelEvaluations**
 (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/projects.locations.models.modelEv
aluations/list#google.cloud.automl.v1beta1.AutoMl.ListModelEvaluations)
.

JSON representation

``
{
  "modelEvaluation": [
    {
      object (ModelEvaluation (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1
    }
  ],
  "nextPageToken": string
}
``

Fields	
modelEvaluation[]	**object** (**ModelEvaluation** (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/p rojects.locations.models.modelEvaluations#ModelEvaluation)) List of model evaluations in the requested page.
nextPageToken	**string** A token to retrieve next page of results. Pass to the **ListModelEvaluationsRequest.page_token** (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/p rojects.locations.models.modelEvaluations/list#body.QUERY_PARAMETE RS.page_token) field of a new **AutoMl.ListModelEvaluations** (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/p rojects.locations.models.modelEvaluations/list#google.cloud.automl.v1b eta1.AutoMl.ListModelEvaluations) request to obtain that page.

Authorization Scopes

Requires the following OAuth scope:

- `https://www.googleapis.com/auth/cloud-platform`

For more information, see the Authentication Overview
(https://cloud.google.com/docs/authentication/).