Cloud AutoML Vision

Method: projects.locations.list

Lists information about the supported locations for this service.

HTTP request

GET https://automl.googleapis.com/v1beta1/{name}/locations

Path parameters

Parameters	
name	string
	The resource that owns the locations collection, if applicable.

Query parameters

Parameters	
filter	string
	The standard list filter.
pageSize	number
	The standard list page size.
pageToken	string
	The standard list page token.

Request body

The request body must be empty.

Response body

If successful, the response body contains data with the following structure:

The response message for Locations.ListLocations

(https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/projects.locations/list#google.cloud.locations.ListLocations)

.

Fields	
locations[]	<pre>object (Location (https://cloud.google.com/vision/automl/docs/reference/rest/v1beta1/p rojects.locations#Location))</pre>
	A list of locations that matches the specified filter in the request.
nextPageToken	string
	The standard List next-page token.

Authorization Scopes

Requires the following OAuth scope:

• https://www.googleapis.com/auth/cloud-platform

For more information, see the <u>Authentication Overview</u> (https://cloud.google.com/docs/authentication/).

Except as otherwise noted, the content of this page is licensed under the <u>Creative Commons Attribution 4.0 License</u> (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the <u>Apache 2.0 License</u> (https://www.apache.org/licenses/LICENSE-2.0). For details, see our <u>Site Policies</u> (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated October 9, 2019.