

[Cloud AutoML Vision Object Detection](#)

Method:

projects.locations.datasets.tableSpecs.list

Lists table specs in a dataset.

HTTP request

GET <https://automl.googleapis.com/v1beta1/{parent}/tableSpecs>

Path parameters

Parameters	
parent	string The resource name of the dataset to list table specs from. Authorization requires the following Google IAM (https://cloud.google.com/iam) permission on the specified resource parent : <ul style="list-style-type: none">• <code>automl.tableSpecs.list</code>

Query parameters

Parameters	
fieldMask	string (FieldMask (https://developers.google.com/protocol-buffers/docs/reference/google.protobuf#google.protobuf.FieldMask) format) Mask specifying which fields to read. A comma-separated list of fully qualified names of fields. Example: <code>"user.displayName, photo"</code> .

Parameters	
filter	string Filter expression, see go/filtering .
pageSize	number Requested page size. The server can return fewer results than requested. If unspecified, the server will pick a default size.
pageToken	string A token identifying a page of results for the server to return. Typically obtained from the ListTableSpecsResponse.next_page_token (https://cloud.google.com/vision/automl/object-detection/docs/reference/rest/v1beta1/projects.locations.datasets.tableSpecs/list#body.ListTableSpecsResponse.FIELDS.next_page_token) field of the previous AutoML.ListTableSpecs (https://cloud.google.com/vision/automl/object-detection/docs/reference/rest/v1beta1/projects.locations.datasets.tableSpecs/list#google.cloud.automl.v1beta1.AutoML.ListTableSpecs) call.

Request body

The request body must be empty.

Response body

If successful, the response body contains data with the following structure:

Response message for [AutoML.ListTableSpecs](#)

(<https://cloud.google.com/vision/automl/object-detection/docs/reference/rest/v1beta1/projects.locations.datasets.tableSpecs/list#google.cloud.automl.v1beta1.AutoML.ListTableSpecs>)

JSON representation

JSON representation

```
{
  "tableSpecs": [
    {
      object (TableSpec (https://cloud.google.com/vision/automl/object-detection/docs/reference/res
    )
  ],
  "nextPageToken": string
}
```

Fields

tableSpecs[]	object (TableSpec (https://cloud.google.com/vision/automl/object-detection/docs/reference/rest/v1beta1/projects.locations.datasets.tableSpecs#TableSpec)) The table specs read.
nextPageToken	string A token to retrieve next page of results. Pass to ListTableSpecsRequest.page_token (https://cloud.google.com/vision/automl/object-detection/docs/reference/rest/v1beta1/projects.locations.datasets.tableSpecs/list#body.QUERY_PARAMETERS.page_token) to obtain that page.

Authorization Scopes

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](https://cloud.google.com/docs/authentication/)

(https://cloud.google.com/docs/authentication/).

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0)

(<https://www.apache.org/licenses/LICENSE-2.0>). For details, see our [Site Policies](#)
(<https://developers.google.com/terms/site-policies>). Java is a registered trademark of Oracle and/or its affiliates.

Last updated October 14, 2019.