

[Cloud AutoML Vision Object Detection](#)

# Method: projects.locations.operations.get

Gets the latest state of a long-running operation. Clients can use this method to poll the operation result at intervals as recommended by the API service.

## HTTP request

```
GET https://automl.googleapis.com/v1beta1/{name}
```

## Path parameters

### Parameters

<b>name</b>	<b>string</b>
	The name of the operation resource.

## Request body

The request body must be empty.

## Response body

If successful, the response body contains an instance of [Operation](#)

(<https://cloud.google.com/vision/automl/object-detection/docs/reference/rest/v1beta1/projects.locations.operations#Operation>)

.

## Authorization Scopes

Requires the following OAuth scope:

- <https://www.googleapis.com/auth/cloud-platform>

For more information, see the [Authentication Overview](#)

(<https://cloud.google.com/docs/authentication/>).

---

*Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (https://www.apache.org/licenses/LICENSE-2.0). For details, see our [Site Policies](https://developers.google.com/terms/site-policies) (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.*

*Last updated February 4, 2019.*