

[Cloud Vision API Product Search](#)

InputConfig

The desired input location and metadata.

JSON representation

```
{
  "gcsSource": {
    object (GcsSource (https://cloud.google.com/vision/product-search/docs/reference/rest/v1/InputC
  ),
  "content": string,
  "mimeType": string
}
```

Fields

gcsSource	<p>object (GcsSource (https://cloud.google.com/vision/product-search/docs/reference/rest/v1/InputConfig#GcsSource))</p> <p>The Google Cloud Storage location to read the input from.</p>
content	<p>string (bytes (https://developers.google.com/discovery/v1/type-format) format)</p> <p>File content, represented as a stream of bytes. Note: As with all bytes fields, protobufs use a pure binary representation, whereas JSON representations use base64.</p> <p>Currently, this field only works for files.annotate requests. It does not work for files.asyncBatchAnnotate requests.</p> <p>A base64-encoded string.</p>
mimeType	<p>string</p> <p>The type of the file. Currently only "application/pdf", "image/tiff" and "image/gif" are supported. Wildcards are not supported.</p>

GcsSource

The Google Cloud Storage location where the input will be read from.

JSON representation

```
{  
  "uri": string  
}
```

Fields

uri	string
	Google Cloud Storage URI for the input file. This must only be a Google Cloud Storage object. Wildcards are not currently supported.

Except as otherwise noted, the content of this page is licensed under the [Creative Commons Attribution 4.0 License](https://creativecommons.org/licenses/by/4.0/) (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the [Apache 2.0 License](https://www.apache.org/licenses/LICENSE-2.0) (https://www.apache.org/licenses/LICENSE-2.0). For details, see our [Site Policies](https://developers.google.com/terms/site-policies) (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated June 6, 2019.