Cloud Vision API Product Search

# Method: projects.locations.operations.get

Gets the latest state of a long-running operation. Clients can use this method to poll the operation result at intervals as recommended by the API service.

# HTTP request

GET https://vision.googleapis.com/v1/{name=projects/\*/locations/\*/operations/\*}

#### The URL uses gRPC Transcoding

(https://github.com/googleapis/googleapis/blob/master/google/api/http.proto) syntax.

### Path parameters

| Parameters |                                     |
|------------|-------------------------------------|
| name       | string                              |
|            | The name of the operation resource. |

### Request body

The request body must be empty.

# Response body

If successful, the response body contains an instance of  $\underline{\mathtt{Operation}}$  (https://cloud.google.com/vision/product-search/docs/reference/rest/v1/locations.operations#Operation)

# **Authorization Scopes**

Requires one of the following OAuth scopes:

https://www.googleapis.com/auth/cloud-platform

• https://www.googleapis.com/auth/cloud-vision

For more information, see the <u>Authentication Overview</u> (https://cloud.google.com/docs/authentication/).

Except as otherwise noted, the content of this page is licensed under the <u>Creative Commons Attribution 4.0 License</u> (https://creativecommons.org/licenses/by/4.0/), and code samples are licensed under the <u>Apache 2.0 License</u> (https://www.apache.org/licenses/LICENSE-2.0). For details, see our <u>Site Policies</u> (https://developers.google.com/terms/site-policies). Java is a registered trademark of Oracle and/or its affiliates.

Last updated September 17, 2019.